

TECHNICAL SPECIFICATION

Manufacturing Process	Tufted	
Gauge	1/10" Loop Pile	
Pile Material	100% Regenerated Polyamide 6 ECONYL® Yarn	
Pile Weight	1.100 g/m²	
Total Weight	1.900 g/m²	
Pile Height	6,0 mm	
Total Height	8,0 mm	
Tuft Density	197.000 /m²	
Permanently Acoustic	Yes	
Fire Behavior	Cfl-s1	EN 14041
Backing	Action Back	
Width	400 cm	
Dye Method	Solution dyed	
Colour Fastness to Light	≥5	
Colour Fastness to Water	≥4-5	
Rubbing Fastness	≥4-5	
Thermal Resistance	0.123 m² K/W	EN 14041
Impact Noice Raiting	26 dB	

